	INFORMATION DISCLOSURE
	CITATION
•	
	>
ı.	2 1 2009

*Examiner

APPLN. NO. ATTY, DKT, NO.

10/537.545 5192-16

APPLICANT

ZLOKOVIC et al.

GROUP FILING DATE

December 18, 2006

1649

U.S. PATENT DOCUMENTS

*EXAMINER)			FILING DATE
INITIAL	DOCUMENT NUMBER	DATE	NAME	CLASS	SUBCLASS	IF APPROPRIATE
	4,981,952	01/1991	Yan			
	5,321,123	06/1994	Griffin et al.			
	5,405,946	04/1995	Griffin et al.			
	5,663,142	09/1997	Bouma et al.			
	5,804,181	09/1998	Eibl et al.			
	5,891,843	04/1999	Turecek et al.			
	6,008,199	12/1999	Grinnell et al.			
	6,130,201	10/2000	Croce et al.			
	6,756,208	06/2004	Griffin et al.			
	7,204,981	04/2007	Ciaccia et al.			
	7,498,305	03/2009	Griffin et al.			
	2003/0073632	04/2003	Ciaccia et al.			
	2004/0132688	07/2004	Griffin et al.			
	2005/0037964	02/2005	Griffin et al.			
	2007/0042961	02/2007	Griffin et al.			
	2007/0142272	06/2007	Zlokovic et al.			
	2007/0142293	06/2007	Ciaccia et al.			
	2008/0305100	12/2008	Zlokovic et al.			
****		FC	REIGN PATENT DOCUMENTS			

						ITANOLATION	
	DOCUMENT	DATE	COUNTRY	CLASS	SUBCLASS	YES	NO
	93/09807	05/1993	WO				
	01/56532	08/2001	WO				
	2004/030619	04/2004	WO				
	2004/056309	07/2004	WO				
	2005/007820	01/2005	WO				
	2006/014839	02/2006	WO				
	2008/055145	05/2008	WO				
		 					

OTHER DOCUMENTS (including Author, Title, Pertinent pages, Date, etc.)

- Abraham et al. "Assessment of the safety of recombinant tissue factor pathway inhibitor in patients with severe sepsis: A multicenter, randomized, placebo-controlled, single-blind, dose escalation study" Crit. Care Med. 29:2081-2089 (2001)
 - Arosio et al. "Mutation of W215 compromises thrombin cleavage of fibrinogen, but not of PAR-1 or protein C" Biochemistry 39:8095-8101 (2000)
 - Balazs et al. "Endothelial protein C receptor (CD201) explicitly identifies hematopoietic stem cells in murine bone marrow" Blood 107:2317-2321 (2006)
 - Berg et al. "Engineering the proteolytic specificity of activated protein C improves its pharmacological properties" Proc. Natl. Acad. Sci. USA 100:4423-4428 (2003)
 - Bernard et al. "Safety and dose relationship of recombinant human activated protein C for coagulopathy in severe sepsis" Crit. Care Med. 29:2051-2059 (2001)
 - Bernard et al. "Efficacy and safety of recombinant human activated protein C for severe sepsis" New Engl. J. Med. 344:699-709 (2001)

Date Considered

Examiner: Initial if reference considered, whether or not citation is in conformance with MPEP 609; Draw line through citation if not in conformance and not considered. Include copy of this form with next communication to application.

TRANSLATION

Sheet *2 of 4

INFORMA	TION DIGGL COURS	APPLN. NO.	Δ	TTY. DKT. NO.	_		
	TION DISCLOSURE CITATION						
		10/537,545	5	192-16	_		
		APPLICANT					
		ZLOKOVIC et al.					
(Use se	veral sheets if necessary)	FILING DATE	G	ROUP	_		
		December 18, 2006	1	649			
•	OTHER DOCUM	MENTS (including Author,	Title Pertinent n	ages Date etc.)	-		
	Chase & Shaw "p-Nitrop	henvl-p'-quanidinobenzoate	e HCI: A new activ	e site titrant for trypsin" Biochem.			
	Biophys. Res. Comm. 29	9:508-514 (1967)			_		
	Cheng et al. "Activated protein C inhibits tissue plasminogen activator-induced brain hemorrhage" Nature Med. 12:1278-1285 (2006)						
				ection from neutrophil-mediated tissue			
				ctor kB and mitogen-activated protein			
		o. Med. 196:565-577 (2002)		antigen established by hybridization"	_		
	Proc. Natl. Acad. Sci. US	SA 80:3734-3737 (1983)			_		
	Esmon "The anticoagula 15:113-116 (2000)	ant and anti-inflammatory ro	les of the protein (C anticoagulant pathway" J. Autoimmu	n.		
		ood coagulation" Biochim. I					
		cell protein C receptor" The		:639-643 (2000)			
		yay in sepsis" Ann. Med. 34			_		
	endothelial cells" J. Biol.	Chem. 281:20077-20084 (2006)	nistically linked to protein C activation o	'n		
•				thrombotic plasma factor activated			
		en" <i>Protein Sci.</i> 3:588-599 (tease domain of activated protein C	_		
				Biol. Chem. 276:23105-23108 (2001)			
				-binding site in antithrombotic protein C	<u>;</u>		
	J. Biol. Chem. 276:2412				٠		
				d bovine endothelial cell protein	•		
•				conservation in human, bovine, and			
		hem. 270:5571-5577 (1995		protease Ser360Ala-activated protein C	-		
'	mediated by factor Va" F	Protein Sci. 6:132-140 (199	7)	protease Sersoonia-activated protein C	•		
				tor Va and differentiates between the			
		vage sites" Blood 96:585-5					
		aracterization of an extend ein C <i>" J. Biol. Chem</i> . 277:2		coagulation factor Va in the positive			
				human protein C inhibits activation by			
•		•	cting activation by	free thrombin" J. Biol. Chem.			
	271:22285-22288 (1996		(a	Abassa basis and strates" Comin			
•	Griffin et al. "Activated p Hematol. 39:197-205 (2)	• •	or severe sepsis,	thrombosis, and stroke" Semin.			
		e of protein C" Blood Cells	36:211-216 (2006)			
		rotein C" <i>J. Thromb. Haem</i>		<u></u>	_		
				ion with variants of activated protein C	in		
	LPS-induced renal microvascular dysfunction" <i>Crit. Care Med.</i> 35(suppl.):A11, abstract 42 (2007)						
	Grotta et al. "Adding to the effectiveness of intravenous tissue plasminogen activator for treating acute stroke" Circulation 107:2769-2770 (2003)				e"		
		endent neuroprotection by	activated protein C	mutants with reduced anticoagulant			
			actor Xa" <i>J. Biol.</i> C	Chem. 264:16303-16310 (1989)	_		
*Examiner			ate Considered		_		

Examiner: Initial if reference considered, whether or not citation is in conformance with MPEP 609; Draw line through citation if not in conformance and not considered. Include copy of this form with next communication to application.

*Examiner

INFORMATION DISCLOSURE	APPLN. NO.	ATTY, DKT. NO.
CITATION	10/537,545	5192-16
	APPLICANT	3192-10
(Use several sheets if necessary)	ZLOKOVIC et al.	GROUP
(ose several sheets in necessary)	FILING DATE	
	December 18, 2006	1649
	MENTS (including Author, Title	
451:1076-1081 (2008)		is lesions reveals therapeutic targets" Nature
Heeb et al. "Inhibition of arginine or leucine for n	f activated protein C by recombinethionine ³⁵⁸ " <i>J. Biol. Chem.</i> 265	nant α ₁ -antitrypsin variants with substitution of :2365-2369 (1990)
Hinds "Treatment of ser	osis with activated protein C" Bri	t. Med. J. 323:881-882 (2001)
		sepsis" N. Engl. J. Med. 348:138-150 (2003)
	1 permits cytofluorometric analy ility" J. Immunol. Meth. 185:249-	sis of programmed cell death (apoptosis) without 258 (1995)
roduction of nitric oxide	e" Circulation 104:1171-1175 (20	
` inflammation and apopt	osis" J. Biol. Chem. 276:11199-	
268:27246-27257 (1993	3)	tion of factor Va by activated protein C" J. Biol. Chem.
Kanji et al. "Recombina sepsis" <i>Pharmacother</i> .		otrecogin alfa (activated): A novel therapy for severe
Kerschen et al. "Endoto Med. 204:2439-2448 (2		ction by non-anticoagulant activated protein C" J. Exp
Kisiel "Human plasma p Clin. Invest. 64:761-769		ion, and mechanism of activation by α -thrombin J .
		hrombin-thrombomodulin complex using structural eling" <i>Proteins</i> 35:218-234 (1999)
	in desensitization of the PAR1 to Diytic therapy" <i>Biochemistry</i> 38:4	hrombin receptor: Kinetics, sites of truncation, and 572-4585 (1999)
enzyme" <i>Blood</i> 59:1067	'-1072 (1982)	rotein C, a thrombin-dependent anticoagulant
Mather et al. "The 2.8 A (1996)	crystal structure of Gla-domain	ess activated protein C" EMBO J. 15:6822-6831
	ation of a sequence of human ac . Biol. Chem. 266:24514-24519	tivated protein C (residues 390-404) essential for its (1991)
. Mosnier & Griffin "Inhibi	tion of staurosporine-induced ap	poptosis of endothelial cells be activated protein C cell protein C receptor" <i>Biochem J.</i> 373:65-70 (2003)
	protein C variants with normal	cytoprotective but reduced anticoagulant activity"
	in C anticoagulant activity in rela	ation to anti-inflammatory and anti-apoptotic activities
	protective protein C pathway" B	lood 109:3161-3172 (2007)
Mosnier et al. "Activated	protein C mutant with minimal ombin activable fibrinolysis inhibit	anticoagulant activity, normal cytoprotective activity, tor-dependent cytoprotective functions" J. Biol. Chem
. Nicolaes et al. "Peptide		ctional activity during inactivation of factor Va and 270:21158-21166 (1995)
Norstrom et al. "Importa		oid for activated protein C-mediated cleavages in

Examiner: Initial if reference considered, whether or not citation is in conformance with MPEP 609; Draw line through citation if not in conformance and not considered. Include copy of this form with next communication to application.

Date Considered

			
INFORMATION DISCL	OSURE APPLN. NO.	ATTY. DKT. NO.	
CITATION	10/537,545	5192-16	
	APPLICANT		
	ZLOKOVIC et al.		
(Use several sheets if neces	sary) FILING DATE	GROUP	
		1610	
•	December 18, 2006	1649	
		or, Title, Pertinent pages, Date, etc.)	
Biol. Chem. 2	277:24851-24854 (2002)	dothelial protein C receptor and a bound phospholipid"	
		tor. Inhibition of activated protein C anticoagulant function ibitors. J. Biol. Chem. 271:17499-17503 (1996)	tion
	. "Activation of endothelial cell protea	ase activated receptor 1 by the protein C pathway" Science	ence
Ritchie et al.		ocytes and plasminogen activator inhibitor 2 (PAI-2) is	not
Rosing & Tai	ns "Coagulation factor V: An old star	shines again" J. Thromb. Haemost. 78:427-433 (1997))
Rothbarth et	al. "One single mRNA encodes the o	centrosomal protein CCD41 and the endothelial cell pro	ztein
	PCR)" FEBS Lett. 458:77-80 (1999)		
	agement of sepsis" New Engl. J. Me		
	al. "Vitamin K-dependent carboxylas n. 251:2770-2776 (1976)	e. Requirements of the rat liver microsomal enzyme sy	/stem"
		63(218) of human anticoagulant protein C in heparin	
		J. Thromb. Haemost. 82:72-79 (1999)	
receptor-dep	endent manner" FEBS Lett. 477:208		
Singh et al. " 15:S21-S27		ement of acute ischemic stroke" J. Vasc. Interven. Rac	diol.
	I. "A chimeric protein C containing that the later of the	e prothrombin Gla domain exhibits increased anticoago ol. Chem. 273:9031-9040 (1998)	ulant
Stearns-Kurd	sawa et al. "The endothelial cell pro	tein C receptor augments protein C activation by the cad. Sci. USA 93:10212-10216 (1996)	
、 Taylor et al. '		tor aids in host defense against Escherichia coli sepsis	n
, Theofilopoul		SLE), Experimental models" <i>Encyclopedia of Immunolo</i>	gy
Thiyagarajan		neovascularization and neurogenesis in postischemic	brain
		on No. P04070, 22 pages (1986 and updates).	
		erapeutic proteins" Activated protein C variants with	
	armacological properties" Trends Ph		
Wang et al. "	Differential neuroprotection and risk	for bleeding from activated protein C with varying degr 9) and doi:10.1161/STROKEAHA.108.536680 (2008)	ees of
	"High-dose antithrombin III in sever	e sepsis: A randomized controlled trial" J. Am. Med. As	SOC.
. Weiss et al. '		epitopes by combinatorial alanine scanning" Proc. Nat	1.
Yan et al. "C		of recombinant human protein C from three mammalia	an cel
. Yednock et a		nmune encephalomyelitis by antibodies against α4β1	
	I. "Functional recovery after embolic	stroke in rodents by activated protein C" Ann. Neurol.	
*Examiner		Date Considered	

Examiner: Initial if reference considered, whether or not citation is in conformance with MPEP 609; Draw line through citation if not in conformance and not considered. Include copy of this form with next communication to application.